

# Index

Page numbers followed by “*f*” indicates figures, “*t*” indicates tables and “*n*” indicates footnotes.

## A

- A-grid model, 294, 296*f*
- Absolute velocity, 42, 43
- Abyssal circulation, 677–681
- Abyssal layer, 658
- Accuracy, 118, 119
  - and errors, 120–125
- Acoustic Doppler current profilers, 18
- Adams–Bashforth method, 66, 67*f*
- Adaptive time-stepping, 125
- Adiabatic conservation law, 350
- Adiabatic lapse rate, 351
- Adjoint method, 745*f*
- Adjoint model, 747
- Adriatic
  - density profile, 13
  - seiches, 278, 381
- Advection, 193*f*, 194*f*, 768
  - 1D, 191, 192*f*
  - 2D, 186–187, 190*f*
  - and diffusion, 163–167
  - multidimensional approach,
    - 186–196
  - relative importance of, 167–168
  - with TVD scheme, 195*f*
- Advection schemes
  - centered, 169–176
  - numerical, 187
  - standard test for, 175
  - upwind, 176–183, 177*f*, 178*f*
- Advection–diffusion
  - equation, 163
  - properties of, 165
  - with sources and sinks, 183–186
- Advective instability, 418
- AGCMs, *see* Atmospheric General Circulation Models
- Ageostrophic motion, 280, 524–525, 529, 532, 537, 601
- Aire Limitée Adaptation dynamique Développement InterNational (ALADIN) model, 639
- Air–sea interactions, 5
- ALADIN model, *see* Aire Limitée Adaptation dynamique Développement InterNational model
- Albedo, 628, 640
- Algebraic Reynolds-stress models, 453
- Aliasing, 33–35, 329–330
- Alternating direction implicit (ADI) methods, 156
- Amphidromic points, 308, 381
- Amplification factor, 145, 146, 150
- Angular frequency, 773
- Anticyclones, 20, 601, 609*f*
  - of midlatitude weather, 565
- Anticyclonic vorticity, 490
- Arakawa, Akio, 295, 315
- Arakawa Jacobian, 545
- Arakawa’s grids, 289*f*, 296
  - A-grid model, 294, 296*f*
  - C-grid, 295, 297*f*
  - Coriolis force, 291, 292, 300
  - numerical models, 289
  - second-order method, 290
  - staggered grid, 291, 293
- Artificial diffusion, *see* Numerical diffusion
- Asselin filter, 334
- Atlantic Ocean, 27
- Atmosphere, 715
  - length, velocity and time scales, 15*t*
  - motion in, 14–17
  - processes and structures in, 16*f*
- Atmospheric boundary layer, 257, 462
- Atmospheric circulation models, 637–642
- Atmospheric convection, 463–465
  - parameterization, 355, 643
- Atmospheric frontogenesis, 490–502, 491*f*–493*f*, 499*f*, 500*f*
  - physical processes in, 492
  - temperature gradient, 494
- Atmospheric General Circulations Models (AGCMs), 19, 638–639
- Atmospheric stratification, 349–354

- Automatic Sequence Controlled Calculator (ASCC), 22
- Available potential energy, 382, 530–532, 611–612
- B**
- Backward-difference approximation, 29
- Backward scheme, 63
- Baltic Sea, 55, 56*f*
- Banded matrix, 152
- Baroclinic mode, 377, 379*f*; 535
- Baroclinic instability, 553–554, 600, 694
- interval for two-layer, 571*f*
  - linear theory of, 566–574
  - mechanism, 561–566
- Baroclinic planetary wave, 536, 538*f*
- Barotropic flow, 210, 318
- Barotropic instability, 317*f*; 600
- mechanism, 327, 328
- Barotropic mode, 377, 379*f*
- Barotropic waves, 535
- Arakawa's grids, 291*f*
  - inertia-gravity waves, 276–278
  - Kelvin wave, 273–276
  - linear wave dynamics, 271–273
  - planetary waves, 278–283
  - tides and storm surges, 309
    - amphidromic point, 308
    - drag coefficient, 302
    - equilibrium tide, 307
    - shallow-water equations, 300, 301
    - tidal force, 304, 308
    - tidal potential, 307  - topographic waves, 283–287
- Basis functions, 258
- Beam–Warming schemes, 180–181, 508, 512*f*
- Bergeron process, 643
- Bernoulli function, 390, 666–667
- Bessel functions, 541
- Best Linear Unbiased Estimation (BLUE), 743
- Beta parameter, 279
- Beta plane, 279
- equatorial, 701–702
- Beta spiral, 664–666
- Biharmonic diffusion, 197, 332, 613
- Biharmonic filter, 332
- Bjerknes, Vilhelm Frimann Koren, 20, 83, 97, 269, 363, 490
- Black body, 628
- Blocking, 597
- BLUE, *see* Best Linear Unbiased Estimation
- Boundary conditions, 109–112, 110*f*
- dynamic conditions, 114–116, 116*f*
  - heat flux, 116–117
  - kinematic conditions, 112–114, 113*f*, 114*f*
  - numerical implementation of, 117–120, 118*f*, 119*f*
  - salt flux, 117
  - on streamfunction in ocean model, 223*f*
  - tracer, 117
- Boundary layer, 115, 244, 251
- atmospheric, 257
  - equations, 248
- Boundedness, property of, 167
- Boussinesq, Joseph Valentin, 96
- Boussinesq approximation, 83–87, 106–107, 428
- Brunt, David, 363
- Brunt–Väisälä frequency, 349, 352, 398
- Bryan, Kirk, 699
- Buffer layer, 242
- Bulk criteria, 576–579
- Buoyancy, 348
- buoyancy force, 85, 348, 351, 425*f*, 462, 556*f*
  - buoyancy production, 444, 445
- Burger number, 360, 528, 532, 539, 574
- C**
- Cartesian coordinates, 693
- Cartesian framework of reference, 53, 54*f*
- Cascade of energy, 133, 137, 438–440, 451
- Catastrophic instability, 554
- Cauchy condition, 116
- Cell-averaged concentrations, 169, 170
- Centered schemes, 169–176
- Centrifugal force, 6, 592, 594, 602
- unimportance of, 44–46, 45*f*, 46*f*
- CFD, *see* Computational fluid dynamics
- CFL condition, 177, 178
- CFL parameter, *see* Courant number
- CFT, *see* Cosine Fourier transforms
- Chaotic trajectories, 727, 727*f*
- Characteristic line, 172, 173*f*
- Charney, Jule Gregory, 22, 161, 521, 550, 565, 576, 586, 622, 760
- Checker-board mode, 295*f*
- Chemical species, 164
- Cholesky decomposition, 230
- Climate, 627
- Cloud parameterizations, 642–644

- Coastal upwelling, 15, 482*f*
    - development of, 482*f*
    - finite-amplitude upwelling, 486–489, 488*f*, 489*f*
    - formation of, 489*f*
    - model of, 484–486
    - outcomes of, 488*f*
    - process of, 482–484, 483*f*, 484*f*
    - simple model of, 484–486
    - types of, 484
    - upwelling front, variability of, 489–490, 491*f*
  - Cold front, 490, 492*f*
  - Collocation methods, 258
  - Complete vertical mixing, 426
  - Compressible fluid, 349
  - Computational fluid dynamics (CFD), 39, 113
  - Computational mode, 174
  - Computational speed, increase, 24*f*
  - Conjugate gradient methods, 227, 229, 230, 747
  - Conservation of momentum, 78, 426, 765
  - Conservative formulation, 87
  - Continental shelf waves, 286
  - Continuity equation, 77, 764
  - Continuous stratification, 531
  - Contour dynamics, 334–340
    - contour surgery, 339
    - two-dimensional problem, replacing of, 339
    - uniform vorticity simulated with, 338
    - velocity determination, 337
  - Contour surgery, 339
  - Control parameters, 747
  - Convection, 349, 353, 463–465
  - Convection parameterizations, atmospheric, 355
  - Convective schemes, 354–355
  - Convergence of meridians, 639
  - Convergence–divergence pattern, 538
  - Convergent method, 63
  - Conveyor belt, 657, 658*f*, 678
  - Coordinate surface, 686
  - Coordinate systems, 692–693
    - cylindrical coordinates, 768–769
    - discrete equations, 686, 687*f*
    - hybrid-grid models, 686
    - hydrostatic consistency, 691
    - pressure-gradient problem, 689
    - sigma coordinate system, 689, 690*f*
    - spherical coordinates, 660, 678, 769–770
  - Coriolis, Gaspard Gustave de, 75
  - Coriolis acceleration, 44
  - Coriolis effect, 49, 478
  - Coriolis force, 6, 291, 292, 300, 474, 476, 521, 592
    - centrifugal force, 44–46, 45*f*, 46*f*
    - in geophysical flows, 105
    - Rossby number, 108
  - Coriolis parameter, 47, 55, 205, 208, 213, 240, 245, 272, 273, 278–279, 283, 318, 538, 591, 599, 701
  - Comer Transport Upstream (CTU) scheme, 188, 189*f*, 190*f*
  - Cosine Fourier transforms (CFT), 791
  - Cost function, 744
  - Coupled model, ENSO, 715–716, 717*f*
  - Courant Institute, 201, 202, 759
  - Courant number, 172, 182*n*, 190, 506, 510
  - Courant, Richard, 22, 174, 201
  - Covariance matrix, 736
    - model-error, 740
    - reduced rank, 752
  - Crank-Nicholson scheme, *see* Semi-implicit scheme
  - Crest, 594, 774, 776*f*
  - Critical level, 323
  - Cumulus clouds, 643
  - Cutoff frequency, 34
  - Cyclogenesis, 601
  - Cyclones, 20, 22, 601, 609*f*; *see also* Anticyclones
    - of midlatitude weather, 565
  - Cyclostrophic balance, 602
  - Cylindrical coordinates, equations in, 768–769
- ## D
- Damped modes, 751
  - Data acquisition, 17–19
    - measurement, vertical velocity and pressure, 18
    - sampling frequencies, 18
  - Data assimilation, 725–730, 727*f*, 728*f*, 732*f*
    - implementation of, 750
    - procedure of, 743–744
  - Dead waters, 7–8, 8*f*, 395
  - Decorrelation, 737*n*4
  - Density-coordinate system, 365*f*, 523
  - Density gradient, horizontal, 473–474, 474*f*
  - DFT, *see* Discrete Fourier transform
  - Diagnostic equations, 437
  - Diagnostic variables, 110

- Diffusion, 163–167
  - Diffusivity, 138, 154
  - Dimensionless numbers, 107–109
  - Direct cells, *see* Hadley cell
  - Direct convective cells and indirect convective cells, 631
    - Ferrel cell, 636*f*, 637, 637*f*
    - Hadley cell, 632–633, 636*f*
    - indirect cells, 633
    - zonal averages, 634
  - Direct insertion, 731
  - Direct model, 747
  - Dirichlet condition, 116, 222
  - Discrete equations, 686, 687*f*
  - Discrete Fourier transform (DFT), 647, 787–792
  - Discretization
    - methods, 89–90, 90*f*
    - variable, 25
  - Discretization errors, 120–121
    - estimates, 121–125
  - Dispersion
    - turbulent dispersion, 102, 137
    - numerical dispersion, 180–181, 182, 196, 389
    - wave dispersion, 146, 315, 418, 776*f*
  - Dissipation rate, 438, 441
  - Divergence theorem, 87
  - Domain decomposition, 127
  - Donor cell scheme, *see* Upwind scheme
  - Double diffusion, 86
  - Drag coefficient, 115
  - Drag force, 415, 416
  - Dynamic conditions, 114–116, 116*f*
  - Dynamic pressure, 87
- E**
- Earth simulators, 641
  - Earth–Sun orientation, 11
  - Eastward jet, 599*f*, 600
    - curvature and beta effects on, 596, 596*f*
    - meandering of, 594, 594*f*
  - ECMWF, *see* European Centre for Medium-Range Weather Forecasts
  - Eddy coefficients, 101–102
  - Eddy diffusivity, 86, 102, 117, 131
    - formulation, 447
  - Eddy viscosity, 101–102, 125, 242–243, 436
    - formulation of, 441–442, 446, 450, 453, 454
    - profile, 268
    - value, 108, 255, 744
  - Eigenfunctions, 261–262, 263, 320, 404, 406, 410, 534
  - Eigenvalues, 261–263, 320, 404, 405, 409, 432, 534
  - EKF, *see* Extended Kalman Filter
  - Ekman, Vagn Walfrid, 8, 251, 269
  - Ekman depth, 247, 249, 252, 255–256
  - Ekman drift, 255, 475, 482–483, 486, 489
  - Ekman layer, 239*f*, 482, 566, 660
    - bottom, 245–247, 249
    - velocity spiral in, 247, 253
    - definition, 244
    - in real geophysical flows, 254–257
    - surface, 251–254
    - over uneven terrain, 250–251
  - Ekman number, 108–109, 243–244, 522
  - Ekman pumping, 249, 251, 254, 267, 663, 666, 669–670
    - subduction, 673, 675, 676, 677
  - Ekman transport, 253, 713
  - El Niño, 703, 708, 709
    - occurrence, 710
    - prediction of, 716, 718, 719*f*
  - El Niño – Southern Oscillation (ENSO), 5, 707–711, 711*f*, 717*f*
    - forecasting, 716–720
    - model of
      - conceptual, 710, 712*f*
      - coupled, 715–716
      - empirical predictive, 719
  - Electronic Discrete Variable Calculator (EDVAC), 22
  - Electronic Numerical Integrator and Computer (ENIAC), 22
  - Elliptic equation, 217–218, 221, 222, 225
    - two-dimensional, discretization of, 218*f*
  - Emergence of coherent structures, 612
  - Energy budget, 80–82, 382, 444, 449, 452–453, 464–465, 480–481, 530–532
  - Energy cascade, 133, 137, 438–440, 451
  - Energy conservation, 80, 381–383
  - Energy dissipation, 133, 135
  - Energy method, 177–178
  - Energy propagation, 778–780
  - Energy spectrum
    - internal waves, 418
    - turbulence, 135–137, 440
  - English Channel, 275, 276*f*
  - ENO methods, *see* Essentially nonoscillatory methods
  - Ensemble forecast approach, 752, 753

- ENSO, *see* El Niño – Southern Oscillation
- Enstrophy, 611–612
- Entrainment, 384  
     during convection, 644  
     in thermocline, 673, 675
- Epilimnion, 379
- Equation of state, 79–80
- Equatorial beta plane, 701–702
- Equatorial currents, 671
- Equatorial inertial time, 702
- Equatorial radius of deformation, 702*f*
- Equatorial radius of earth, 45
- Equatorial upwelling, 484, 520
- Equatorial waves, 424, 703*f*  
     equatorial Kelvin wave, 704, 706, 709  
     equatorial planetary waves, 704, 706–707, 708*f*  
     equatorial mixed wave, 706
- Equilibrium tide, 307
- Equipotential surface, 46
- Error-covariance matrix, 736, 737, 742, 743*f*
- Error estimate, 123–124
- Error variance, 733
- Error vector, 737
- Essential boundary condition, 260
- Essentially nonoscillatory (ENO) methods, 507
- Euler method, 55–57, 63, 172
- Euler scheme, 111, 142, 146, 176  
     diffusion, 184
- Eulerian approach, 387, 767, 768
- Eulerian vorticity evolution, 339
- European Centre for Medium-Range  
     Weather Forecasts (ECMWF), 368, 734*n*3
- Explicit schemes, 58, 154
- Extended Kalman Filter (EKF), 740, 741*f*
- External radius of deformation, 373, 377–378, 536, 546
- F**
- Fast Fourier transform (FFT), 230, 616, 789–794
- FCT, *see* Flux-corrected transport
- Ferrel cell, 636*f*, 637, 637*f*
- FFT, *see* Fast Fourier transform
- Field estimation, 725
- Filtering, 153, 280, 331–334  
     Asselin filter, 334  
     biharmonic filter, 332  
     Kalman filtering, 739–743
- Finite-amplitude development, 328, 579–583
- Finite-amplitude upwelling, 486–489, 488*f*, 489*f*
- Finite-difference approximation, relative error, 29, 30*f*, 31*f*
- Finite-difference representation, 263
- Finite differences, 23–28
- Finite elements, 261
- Finite-volume approach, 257
- Finite-volume discretization, 88–92, 89*f*, 91*f*, 92*f*
- Finite-volume technique, 153, 153*f*, 169–170, 180  
     2D advection, 186–187  
     one-dimensional, 170*f*
- First law of thermodynamics, 80
- First-order accurate, 57
- First-order upwind scheme, 508
- Fluid-flow model, 739
- Fluid layer, density, 10
- Fluid mechanics, budgets on infinitesimal volumes, 763–768
- Fluid motions, rotations in, 10–12
- Fluid parcels, vertical stretching and squeezing of, 561, 562*f*
- Fluid transverse transport, calculations of, 247
- Flux, 137
- Flux-corrected transport (FCT), 507
- Flux formulation and conservative form, 87–88, 88*f*
- Flux-limiter methods, 507, 509
- Forecast error, 735–736, 740
- Forecasting, 18–20, 23
- Formal stability definition, 61
- Forward-difference approximation, 28
- Forward scheme, 63
- 4D-Var method, 746, 749, 751
- Fourier coefficient, 788, 790
- Fourier law, 81
- Fourier-mode formalism, 173
- Fourth-order discretization, 119–120
- Fourth-order finite-difference approximation, 32, 785
- Fourth-order method, 66
- Fractional steps, *see* Operator splitting methods
- Free surface, 112, 113, 533
- Frequency, 773, 776–778
- Friction, 561  
     velocity, 240, 458
- Frontal meanders, 599*f*

Frontogenesis  
 atmospheric, *see* Atmospheric frontogenesis  
 physical processes in, 492  
 temperature gradient, 494

Fronts  
 cold, 490, 492*f*  
 definition, 589  
 origin and scales, 589–592  
 warm, 490, 492*f*

Froude number, 356–358, 360, 417, 591

Full upwelling, 486

Fully implicit scheme, 150

**G**

Galerkin method, 260

Garrett–Munk spectrum, 418, 419*f*

Gaussian elimination, 151

Gaussian grid, 649

Gauss–Seidel method, 155, 156, 225, 580, 582

Gelbstoff, 735

General Circulation Models (GCMs), 19

Generalized inverse model, 748

Gent–McWilliams parameterization, 694

Geoid, 46

Geopotential, 46

Georges Bank, 591

Geostrophic adjustment, 475–480, 476*f*, 479*f*  
 energetics of, 480–482  
 examples of, 479*f*

Geostrophic balance, 521

Geostrophic component, 524

Geostrophic contours, 209

Geostrophic coordinate, 497

Geostrophic equilibrium, 524

Geostrophic momentum, 556*n*

Geostrophic turbulence, 134, 539, 611–613  
 simulations of, 613–618

Geostrophic velocity component, 537

Geostrophy, 207, 264, 483

Ghil, Michael, 759

Gibb’s phenomena, 649

Gill, Adrian Edmund, 424, 623

Glaciation cycles, 17

Global climate models, 641

Global conservation, 92, 92*f*

Godunov theorem, 182, 508

Governing equations, 522–527, 523*f*  
 summary of, 83

Gradient-wind balance, 601

Gram–Schmidt orthogonalization process, 228–229

Gravitational force, 45–46

Gravitational instability, 553

Great Red Spot in Jupiter’s atmosphere, 9, 35, 320, 542, 613, 620

Greenhouse effect, 630

Greenhouse gases, 5–6

Grid nodes, 503–505, 504*f*

Grid Peclet number, 179

Grid spacing, 27–28

Group velocity, 282, 282*f*, 780–782

Growth rate, 320

Gulf Stream, 14, 17, 659, 672, 673

## H

Hadley cell, 632–633, 636*f*

Hadley, George, 632

Heat budget, 92, 464, 576, 627–631, 644, 685, 713

Heat capacity, 80

Heat flux, 15, 116–117, 350

Heat transport, 574–576

Helium, 164

Hermite polynomials, 706

Hessian matrix, 749, 750*f*

Heun method, 65

High Reynolds-number flows, 439

Higher-order approximations, 28–33

Higher-order schemes, 65–69, 66*f*–69*f*

Highly advective situations, 168–169

Homogeneous fluids, rigidity, 6, 7*f*

Homogeneous geostrophic flows, 205–208, 206*f*, 208–210

Horizontal density gradient, 473–474

Horizontal eddy diffusivity, 452

Horizontal eddy viscosity, 102

Horizontal geostrophic interior flow, 250

Horizontal momentum equations, 108

Howard, Louis Norberg, 343, 434

Howard semicircle theorem, 323, 435

Hurricane Frances, 9  
 computer prediction of path, 4*f*–5*f*

Hurricanes, 602, 610

Hybrid-grid models, 686

Hydrological cycle, 630, 631*f*, 644

Hydrostatic balance, 105–106

Hydrostatic consistency, 691

Hydrostatic equation, 105, 109, 351

Hypolimnion, 379

**I**

Implicit Euler scheme, 63

Implicit scheme, 58  
 damping rate of, 150, 151*f*

Incompressible fluid, 213, 348

- Indirect cells, 633
  - Indonesia's Sumatra Island, earthquake, 4
  - Inertia, 672
  - Inertia-gravity waves, 276–278
  - Inertial instability, 553–561, 558*f*–560*f*
  - Inertial oscillation, 48, 55
  - Inertial period, 48
  - Inertial (Poincaré) waves, 404
  - Innovation vector, 735
  - Instability, 331
    - advective, 418
    - baroclinic, 553–554, 600
    - barotropic, 317*f*, 600
    - catastrophic, 554
    - gravitational, 553
    - inertial, 553–561, 558*f*–560*f*
    - Kelvin-Helmholtz, 427, 428
    - mixed barotropic-baroclinic, 554, 579, 600
    - types of, 553–554, 554*t*
  - Integrated models, 641
  - Interface, 369
  - Interference patterns, 779, 780
  - Interior cyclonic motion, 249
  - Internal radius of deformation, 360, 373, 378, 406, 528, 536, 541, 590–591
  - Internal solitary wave, 418
  - Internal waves
    - amplitudes, 416
    - in atmosphere, 396*f*
    - nonlinear effects, 416–419
    - structure of, 399–401, 400*f*
    - surface manifestation of oceanic, 396*f*
    - from surface to, 395–397
    - theory, 397–399
    - vertical modes, 401–404
      - bounds on frequency, 404–405
      - constant  $N^2$ , 405–407
      - numerical decomposition, 407–410
      - vertical eigenvalue problem, 404
      - waves concentration at pycnocline, 410–412
  - Intertropical convergence zone (ITCZ), 709
  - Inverse barometric response, 307
  - Inverse methods, 743–750, 744*f*, 745*f*, 747*f*
    - generalized, 749*f*
  - Inversion, 462
  - Inviscid fluid, 429
  - Isobaric flow, 206, 207
  - Isobars, 206
  - Isobaths, 209, 215
  - Isopycnal diffusion, 384
  - Isopycnal surface, 365
  - Isotropic and homogeneous turbulence, 131–132
    - eddy length *versus* velocity scale in, 132–135, 132*f*
    - energy spectrum of, 135–137
  - ITCZ, *see* Intertropical convergence zone
  - Iteration errors, 120
  - Iterative method, 503
  - Iterative solvers, 155, 224
- J**
- Jacobi method, 155, 224
  - Jacobian, 787
  - Jacobian operator, 525, 542–543
    - grid notation for, 543*f*
  - Jet
    - curvature and beta effects on, 596, 596*f*
    - eastward and westward, 599*f*
    - instabilities, 600
    - meandering, 592–597
    - multiple equilibria, 597
    - origin and scales, 589–592
    - shear and orbital vorticity of, 593*f*, 594*f*
    - stretching and topographic effects, 597–600
  - Jupiter
    - equatorial circumference, 69
    - Great Red Spot, 3, 9, 320, 542, 613
    - southern hemisphere, 9*f*
- K**
- $k - k/m$  model, 450
  - $k$  model, 437, 446
  - Kalman filter, 739–743, 748, 749
    - approach, 744*f*
    - Extended Kalman filter, 740, 741*f*
    - operation, 743
  - Kalman filtering, 739–743
  - Kalman gain matrix, 738
  - Kalman smoother, 749
  - Kalnay, Eugenia, 760
  - Kelvin, Lord, 97, 274, 314
  - Kelvin wave
    - coastal, 273–276, 277, 286, 532, 704
    - equatorial, 704, 706, 707–708, 709, 718
    - internal, 406, 489
  - Kelvin-Helmholtz instability, 427–431, 554, 577
  - Kelvin's theorem, 214
  - Killworth, Peter Douglas, 623
  - Kinematic conditions, 112–114, 113*f*, 114*f*
  - Kinematic viscosity, 85
  - Kinetic energy, 481, 611–612
    - and stratification, 12

- Kinetic-energy
  - loss in, 426
  - spectrum, 439, 440
- Kolmogorov, Andrey Nikolaevich, 160
- Kolmogorov scale, 134
- Kolmogorov turbulent cascade theory, 132, 133, 137, 441, 451
- Kuroshio paths, 597, 598*f*
- L**
- La Niña, 708, 711, 716, 720
- Lagrangian
  - approach, 348, 387–390, 506, 769, 770
  - multipliers, 482, 745, 746
- Laminar flow, 131
- Laplace, Pierre Simon Marquis de, 74
- Laplacian inversion, 224–231
- Laplacian operator, 81, 280, 525, 564
- Large gradients, numerical handling of, 502–507, 504*f*
- Large-scale atmospheric flow, 7
- Large-scale motions, 3
- Large-scale ocean dynamics, 660
  - Bernoulli function, 666–667
  - potential vorticity, 667–669
  - Sverdrup relation, 662–663
  - Sverdrup transport, 663–664
  - thermal wind and beta spiral, 664–666
- Lateral heterogeneities, 478
- Lax, Peter, 202, 759
- Lax–Richtmyer theorem, 60, 62, 63, 148
- Lax–Wendroff schemes, 180, 182, 183, 196*f*, 508, 511, 512*f*, 651
  - second-order, 181*f*, 183
- Layered models
  - from depth to density, 365–369
  - energy conservation, 381–383
  - interface, 369
  - Lagrangian approach, 387–390
  - numerical, 383–387
  - potential vorticity, 374
  - radius of deformation, 373
  - reduced-gravity model, 371, 372*f*, 372*t*, 374
  - rigid-lid approximation, 370
  - shallow-water reduced-gravity model, 374
  - two-layer models, 374–379
  - wind-induced seiches, lakes, 379–381
- Lead time, 725
- Leapfrog scheme, 66, 67*f*, 174–176, 176*f*, 508
  - amplification factor of, 152
  - numerical dependence of, 175*f*
- Leapfrog time discretization, 219, 222
- Lee waves, 412–414
- Legendre functions, 645, 648
- Leibniz rule, 506
- Limited area models (LAMs), *see* Regional models
- Limiter, 182–183
- Linear continuity equation, 102
- Linear discretization operator, 171
- Linear observation operator, 735
- Linear theory, of baroclinic instability, 566–574
- Linear wave
  - dynamics, 271–273
  - theory, 703–707, 703*f*, 705*f*, 708*f*
- Local conservation, 92, 92*f*
- Logarithmic profile, 240–242
- Long-wave disturbances, 326
- Long-wave radiation, 628*f*, 630, 638
- Lorenz, Edward Norton, 20, 654
- Lorenz equations, 726–728, 728*f*
- Lower-upper decomposition, *see* Gaussian elimination
- Lyapunov equation, 739–740
- M**
- MacCormack scheme, second-order, 181
- Macro scales, 438
- Malkus, Willem, 343, 519
- Marginal ice zone, 483, 484*f*
- Margules relation, 474, 475*f*
- Mass budget, 77
- Mass conservation, 77
  - equation, one-dimensional, 766
- Material derivative, 78, 768, 769
- MATLAB™ programs, 34, 763
- Matrix decomposition, 151, 230, 785*f*
- Matrix method, 148
- Max-min property, 167
- McWilliams, James Cyrus, 238, 613, 694
- Meanders, 592–597, 599*f*
  - meander scale, 595
- Mechanical-energy budget, 530
- Mellor, George Lincoln, 470
- Mellor–Yamada model, 450
- Mercator ocean model, 734*n*3
- Meshless spectral method, 613
- Mesoscale, 479
- Meteorological Office, 39
- Micro scales, 439
- Midpoint method, 65
- Mixed barotropic–baroclinic instability, 554
- Mixed-layer modeling, 450–454

Mixing length, 86, 243, 270, 441–442, 446, 449*f*  
 Mode splitting, 386  
 Model-error covariance matrix, 740  
 Modeling errors, 120  
 Modon, 541  
 Modular Ocean Model (MOM), 681  
 Moisture budgets, 8  
 Molecular viscosity, 134  
 MOM, *see* Modular Ocean Model  
 Momentum budget, 78–79  
 Momentum equations, 769  
 Monin–Obukhov length, 459, 461, 465  
 Monotonic scheme, 167  
 Monotonicity preserving scheme, *see*  
   Monotonic scheme  
 Montgomery, Raymond Braislin, 369, 393  
 Montgomery potential, 367–371, 601, 604,  
   666–667, 669, 690  
 Moore’s Law, 28  
 Motions  
   parameterization of, 28  
   scales of, 8–10  
     length and velocity, 11, 12*t*  
 Mountain ridges, 14  
 Mountain wave, structure of, 415*f*, 417*f*  
 Moving boundary problem, 113  
 Multidimensional approach, 186–196  
 Multigrid methods, 230, 231  
 Multiple equilibria, 597  
 Multistage methods, 65  
 Multistep methods, 65  
 Multivariate approach, 732  
 Munk, Walter Heinrich, 418, 423

**N**

Nansen, Fridtjof, 8, 36, 251, 253, 269  
 Natural fluid motions, 4  
 Neumann boundary condition, 116, 141,  
   260  
 Neumann problem, 217  
 Neumann stability analysis, 173, 184  
 Newton’s law, 44, 47, 301*f*, 303  
   second law, 78, 348, 557, 764, 767  
 Non-amplifying wave, 326  
 Non-atmospheric system, 640  
 Nondiffusive fluid, 429  
 Nondispersive wave, 778  
 Nongeostrophic flows, 210–212  
 Nonhydrostaticity, 398  
 Nonlinear advection, 438  
   schemes, 507–512, 512*f*, 513*f*  
 Nonlinear effects, 539–542  
 Nonlinear instability, 331

Nonlinear motions, quasi-geostrophic  
   equation for, 526  
 Nonlinear numerical instability, 330  
 Nonlinear systems, 727  
   discretization error in, 122  
 Nonlinearities, in barotropic instability,  
   328–331  
 Nonmonotonic behavior, 331–334  
 Nonuniform currents, generalization to,  
   247–249  
 Nonzero perturbations, 326  
 North America, weather forecasting skill,  
   23*f*  
 Nudging, 730–731, 743, 750  
 Numerical convergence, and stability,  
   59–63, 62*f*  
 Numerical diffusion, 179  
 Numerical discretization, 544  
 Numerical grids, 651  
   of global atmospheric models, 644*f*  
 Numerical instability, 143, 153  
 Numerical methods, 644  
 Numerical models, 289  
   layered, 383–387  
 Numerical scheme  
   multi-dimensional, 154–157  
   one-dimensional, 140–144, 150–154  
   stability analysis of, 144–150  
   stability condition of, 146–148  
 Numerical simulations, fluid motions,  
   19–23  
 Numerical stability, 174  
 Numerical stencil, 32  
 Nyquist frequency, 34

## O

O’Brien, James Joseph, 394  
 Ocean General Circulation Model  
   (OGCM), 681  
 Oceanic circulation, 657–660  
   models  
     coastlines, 684  
     MOM, 681  
     pole problem, 682  
     subgrid-scale processes, 693–695  
     turbulence-closure schemes, 686  
 Oceanic flows, 7  
 Oceanic General Circulation Models  
   (OGCMs), 19  
 Oceans, *see also* Atmosphere  
   dynamics, 711–712  
   heat budget, 713–715  
   length, velocity and time scales, 15*t*  
   motion in, 14–17

- Oceans (*continued*)  
 oceanic interior, 658, 660, 669, 672, 673*f*, 692  
 processes and structures in, 16  
 volume conservation, 712–713  
 OGCM, *see* Ocean General Circulation Model  
 OI, *see* Optimal interpolation  
 One D finite-difference schemes, 785  
 One-dimensional tracer equation, 505  
 One-equation turbulence model, 446  
 One-layer reduced-gravity model, 703  
 One-point closure model, 440  
 One-point closure schemes, 450  
 Open boundary, 115, 116*f*  
 Operational models, 750–753  
 Operator splitting methods, 190  
 Optimal interpolation (OI), 731–738, 750  
 formulation of, 739  
 Orbital vorticity, 593*f*, 594*f*  
 Orders of magnitude, 8  
 Oscillatory motions, numerical approach to, 55–59  
 Outcrop line, 676  
 Overreflection, 328  
 Over-relaxation, 224*f*, 545, 580
- P**
- Padding, 794  
 Parameterization  
 cloud, 642–644  
 of shorter scale motions, 28  
 subgrid-scale, 101, 616, 685  
 Partial-derivatives finite differences, 789  
 Patankar-type discretizations, 455–458  
 Peclet number, 167–168  
 Pedlosky, Joseph, 586  
 Penetrative convection, 461–466  
 Perigee, 51  
 Perturbation, 7  
 equations, 436  
 growth rate, 323  
 wavelength of, 327  
 Phase lines, 774, 774*f*  
 Phase speed, 277, 285, 323, 432, 777  
 of topographic waves, 286  
 Philander, George, 723  
 Physical advection, 179–180  
 Physical molecular diffusion, 332  
 Planetary heat budget, 627–631  
 Planetary number, 279  
 Planetary waves, 278–283, 536  
 in stratified fluid, 532–539, 535*f*
- Plume, 164, 164*f*  
 Poincaré waves, *see* Inertia-gravity waves  
 Poisson equation, 222, 545, 614  
 inversion of discrete, 224–231  
 Polar-front jet stream, 589  
 Pole-to-equator temperature difference, 7  
 Potential density, 352  
 Potential-energy, 480–481, 530–532  
 barrier, 434  
 and stratification, 12–13  
 Potential temperature, 81, 352, 353*f*  
 Potential vorticity, 487, 542, 667–669  
 conservation principle, 477, 481  
 definition, 214  
 equation for, 526  
 expression, 287, 289, 527–528  
 layered models, 374  
 Power spectrum, of turbulence, 135, 136*f*  
 Prandtl, Ludwig, 96, 244, 270, 441–442  
 Prandtl frequency, 433, 451  
 Prandtl model/closure, 451, 452, 453  
 Predictability  
 behavior, 729*f*  
 gradual loss of, 728  
 inherent problem of, 729  
 limit, 727  
 Predictor-corrector methods, 63–65, 64*f*, 181  
 Predictors, 718  
 Pressure-gradient  
 anomaly, 712  
 problem, 689  
 Primitive equations, 22, 107  
 Probability density function, 738–739  
 Progressive vector diagram, 55, 56*f*  
 Prototypical vortex, 601  
 Pseudo-compressible approach, 194, 195*f*  
 Pseudo dissipation, 444*n*  
 Pseudospectral methods, 265  
 Pycnocline, waves concentration at, 410–412
- Q**
- Quasi-equilibrium versions, 454  
 Quasi-geostrophic dynamics, 542  
 energetics, 530–532, 531*f*  
 length and timescale, 527–529  
 simplifying assumption, 521–522  
 Quasi-geostrophic equation, 522, 539, 577  
 for nonlinear motions, 526  
 Quasi-geostrophic formalism, 523, 529, 530  
 Quasi-geostrophic ocean modeling, 542–545

Quasi-geostrophic structure, 529  
 Quasi-geostrophic theory, 573

## R

Radiating energy, 481  
 Radiating waves, 414–415  
 Radiation law, 631  
 Radius of deformation  
   equatorial, 702  
   external, 373, 377–378, 536, 546  
   internal, 360, 373, 378, 406, 528, 536, 541, 590–591  
 Random walk, 389  
 Rayleigh equation, 319, 432  
 Rayleigh, Lord, 314  
 Rayleigh number, 462, 463, 465  
 Rayleigh-Ritz inequalities, 408, 421  
 Recapitulation of equations, 106–107  
 Reciprocal Coriolis parameter, 55  
 Red-black method, 225–226, 226*f*  
 Reduced-gravity model, 371, 372*f*, 372*t*, 374, 385, 476–477, 484–485, 713  
   framework of, 712  
 Reduced rank  
   approximations, 753  
   covariance matrix, 752  
   effect of, 752  
 Regional models, 639  
 Relative error, finite-difference  
   approximation, 29, 30*f*, 31*f*  
 Relative velocity, 42, 43  
 Relative vorticity, 527–528  
 Representer method, 749  
 Reynolds, Osborne, 96, 100, 128, 160  
 Reynolds-averaged equations, 99–101  
 Reynolds averages, 436  
 Reynolds number, 109, 134–135, 137  
 Reynolds stress, 100, 415, 416, 435, 436  
 Reynolds stress tensor, 445  
 Rhines, Peter Broomell, 587  
 Rhomboidal truncation, 647*f*  
 Rhône River waters, 163–164, 164*f*  
 Richardson extrapolation, 123  
 Richardson, Lewis Fry, 20–22, 161, 363, 434, 438, 469, 550  
 Richardson number, 109, 433–434, 453, 461  
 Richardson's model, 20–22  
 Rigid-lid approximation, 113, 215–216, 370–371, 385  
 Rigid-lid pressure equation, numerical  
   solution of, 217–221  
 Rigidity, homogeneous fluids, 6, 7*f*

Rizzoli, Paola Malanotte, 724  
 Robin condition, 116  
 Robinson, Allan Richard, 551  
 Root-mean-square (RMS) error, 726  
 Rossby, Carl-Gustaf Arvid, 129, 280, 393  
 Rossby number, 108, 214, 215, 356–358, 360, 521, 522, 573, 591, 602  
   temporal Rossby number, 108, 280*f*, 522  
 Rossby radius of deformation, 275  
 Rossby waves, *see* Planetary waves  
 Rotating fluids, 401  
 Rotating framework, of reference, 41–44, 42*f*  
 Rotating homogenous fluids, 204, 205  
 Rotating plane, free motion on, 47–50, 48*f*, 49*f*  
 Rotation, 10–12, 43, 45, 48  
 Rotation effect, 521  
 Roughness height, 242  
 Rounding errors, 120  
 Runge–Kutta methods, 65, 66*f*

## S

Salinity, 79, 82  
 Salt budget, 82  
 Salt flux, 117  
 Saturated adiabatic lapse rate, 354  
 Scale analysis, 23–28, 103–106  
 Scales of motion, 8–10, 103–106, 103*t*, 522  
 Schmidt number, 446*n*  
 Sea surface temperature (SST), 709, 716, 719*f*  
 Seasonal thermocline, 658  
 Second-moment closure, 437  
 Second-order approximation, 33  
 Second-order closure, 437  
 Second-order convergence, 29  
 Second-order difference, design of, 29  
 Second-order differential equation, 478  
 Second-order partial differential equations, 111  
 Second-order truncation error, 29  
 Seiches, 278, 379–380  
   in the Adriatic Sea, 381  
 Self-amplifying wave, 330  
 Semi-implicit scheme, 59, 182  
 Semi-Lagrangian methods, 649–652  
 Semicircle theorem, 435  
 Semidiscrete numerical scheme, 142  
 SFT, *see* Sine Fourier transforms  
 Shadow zones, 676  
 Shallow flows, numerical simulation of, 257–258

- Shallow-water equations, 300, 301
- Shallow-water model, 212, 729  
   momentum equations of, 216  
   reduced-gravity model, 374
- Shallow-water system, deformation radius  
   in, 406
- Shear flow  
   finite-amplitude development of, 328  
   idealized shear flow profile, 325  
   in homogeneous fluid, 317*f*  
   in stratified fluid, 426, 429*f*  
   velocity shear, 239  
   waves on, 318–321
- Shear instability, 419
- Shear production, 444
- Shear turbulence, 239–240  
   eddy viscosity, 242–243  
   logarithmic profile, 240–242
- Shear vorticity, 593*f*–595*f*
- Sherman-Morisson formula, 752
- Short-wave radiation, 628, 628*f*, 638
- Shortest wave, 34*f*
- Sidereal day, 10
- Sigma coordinate system, 689, 690*f*
- Signal, aliasing, 33–35
- Sine Fourier transforms (SFT), 791
- Smagorinski formulation, 102, 139, 451
- Smagorinsky, Joseph, 655
- SOI, *see* Southern Oscillation Index
- Solar radiation in atmosphere, 14–15
- Southern hemisphere of Jupiter, 9*f*
- Southern Oscillation, 710
- Southern Oscillation Index (SOI), 710, 711*f*
- Specific humidity, 80
- Spectral coefficients, *see* Time-dependent coefficients
- Spectral methods, 262, 644–649
- Spectral space, 614
- Spherical  
   coordinates, 660, 678, 769–770  
   geometry, 45, 77
- Spherical harmonics, 645, 647*f*, 649  
   orthogonality of, 646
- Splitting method, 191, 192*f*
- Spurious mode, 152, 174
- SST, *see* Sea surface temperature
- Stability criterion, choice of, 61–63, 62*f*
- Stability functions, 453, 454
- Stability parameters, 453
- Staggered grid, 219, 291, 293
- Standard linear differential equation, 60
- Standard microturbulent (eddy) diffusion, 333
- State variables, 110
- State vector, 730, 732, 738, 739
- Static stability, fluid in, 348–349
- Steepest descent method, 226
- Stefan–Boltzmann law, 628, 630
- Stern, Melvin Ernest, 622
- Stokes theorem, 223, 334
- Stommel, Henry Melson, 660, 672, 698
- Storm surge, 303
- Strang splitting method, 192, 195*f*
- Stratification, 7, 10, 347, 348, 429, 431, 442, 459  
   atmospheric, 349–354  
   combination of rotation and, 358–360  
   continuous, 531  
   dynamical, 12–14  
   Froude numbers, 356–358, 360
- Stratification frequency, *see* Brunt–Väisälä frequency
- Stratified fluids, 347  
   instability of, 429–435  
   mixing of, 425–429  
   planetary waves in, 532–539, 535*f*  
   with velocity shear, 426
- Stratus-type clouds, 643
- Streamfunction, 187, 530, 532, 533, 539–541, 614  
   distributions, 537  
   equation, numerical solution of, 221–224  
   scale, 529
- Strict stability, 61
- Stripes, 320
- Subduction, 673–676
- Subgrid-scale parameterization, 101, 616, 685
- Subgrid-scale processes, 693–695
- Successive over-relaxation (SOR), 225, 545
- Sulfuric acid in atmosphere, 164
- Sumatra Island, 4, 311
- Superbee scheme, 511, 512*f*
- Surface Ekman layer, 251–254  
   structure of, 253
- Surface waves, 395
- Sverdrup  
   dynamics, 660*f*  
   Harald Ulrik Sverdrup, 660  
   interior, 671  
   relation, 662–663  
   transport, 663–664, 671  
   unit, 660
- Symmetric instability, 554
- Synchronization, 21

Synoptic scale, 479  
Synopticity errors, 729

## T

TAO, *see* Tropical Atmosphere Ocean  
Taylor, Geoffrey Ingram, 6, 237  
Taylor columns, 209, 277, 215, 358, 360, 401  
Taylor curtains, 7  
Taylor expansion, 57, 179, 556  
Taylor series, 26, 28–30, 32, 59, 149, 279  
Taylor–Goldstein equation, 432  
Taylor–Proudman theorem, 206, 231  
Temporal Rossby number, 108  
Thermal wind, 473–475, 474*f*, 475*f*, 561, 664–666  
Thermal-wind balance, 495, 555, 561, 565, 590  
Thermals, 354, 463–465, 643  
Thermocline  
  along equator, 703  
  definition, 379  
  main / permanent, 369, 551, 586, 658, 660, 661*f*, 673  
  movement of, 379, 707, 709, 717  
  scaling, 677  
  seasonal, 658, 660, 669, 675  
  subduction into, 673, 675  
  ventilated thermocline, 676  
Thermodynamics, first law of, 80  
Thermohaline circulation  
  subduction, 673–676  
  thermocline, scaling of, 677  
  ventilated thermocline theory, 676  
Thomas algorithm, 783  
3D-Var method, 738, 751  
Three-dimensional rotating planet,  
  acceleration on, 52–55, 54*f*, 56*f*  
Tidal force, 304, 308  
Tidal potential, 307  
Tides, 303  
Time-dependent coefficients, 614  
Time-dependent function, 731  
Time scales of relaxation, 730  
Time-stepping algorithms, 57, 58, 786  
Time-varying models, 747  
Timescale analysis, 25*f*  
Topographic waves, 283–287  
Total Variation Diminishing (TVD) scheme,  
  183, 188, 507, 508, 510–512  
Total Variation (TV), 508  
Trade winds, 273, 483, 632, 636, 637, 657, 672, 709*f*

Transcendental equation, 478  
Transform grid, *see* Gaussian grid  
Transform method, 616  
Trapezoidal scheme, 63, 182  
  second-order, 183  
Trapezoidal time discretization, 171  
Trapped waves, 275, 286, 416, 424, 705  
Triangular truncation, 646, 647*f*  
Tridiagonal system solver, 783–785  
Tritium, 164  
Tropical Atmosphere Ocean (TAO), 717  
Trough, 774  
Truncation error, 27, 29, 32, 57, 121–122  
Tsunami, 5, 278, 311, 753  
Turbulence closure, 435*f*, 686  
  closure problem, 437  
  eddy viscosity and, 436, 441, 448  
  high Reynolds-number flows, 439  
  second-order closure, 437  
  turbulent kinetic energy model, 443  
  zero-equation turbulence model, 443  
Turbulence-enhanced mixing, 437  
Turbulent diffusion, 137–140  
Turbulent diffusion coefficient, 138  
Turbulent dissipation, 527  
Turbulent eddies, 133  
Turbulent energy cascade, 133, 133*f*  
Turbulent flow, 131, 132, 134  
Turbulent kinetic energy model, 443, 446  
Turbulent velocity, 240  
Turning point, 410  
TV, *see* Total Variation  
TVD, *see* Total Variation Diminishing  
Two-equation models, 450  
Two-equation turbulence model, 450  
Two-layer models, 374–379, 568, 580  
Two-layer quasi-geostrophic model, 22  
Two-layer stratification, 530–531, 531*f*  
Two-point methods, 64

## U

Upwelling  
  coastal, *see* Coastal upwelling  
  finite-amplitude, 486–489  
  front, variability of, 489–490, 491*f*  
  full, 486  
  process, 482–484, 483*f*, 484*f*  
Upwelling-favorable winds, 484  
Upwind scheme, 176–183, 177*f*, 178*f*

## V

Väisälä, Vilho, 364  
Velocity equation, 219, 221

- Velocity profile, 239  
 Velocity shear, 239  
 Ventilated thermocline theory, 676  
 Veronis, George, 519  
 Vertical density stratification, 431  
 Vertical eddy diffusivity, 102  
 Vertical modes, 401–404  
   decomposition into, 407*f*  
 Vertical-momentum equation, 85, 431  
 Vertical stretching, 527–528  
 Vertical velocity, determination of, 250  
 Vertical-velocity scale, 104  
 Viscous sink, 439  
 Volume-conservation equation,  
   transformation of, 688  
 Volume-transport streamfunction, 221  
 von Helmholtz, Hermann, 97, 314, 474  
 von Kármán constant, 241, 442, 459  
 von Neumann, John Louis, 22, 144, 161,  
   202, 550  
 von Neumann method, 173, 177, 184  
 Vortex semi-major axis, 9  
 Vortex semi-minor axis, 9  
 Vortices, 334, 339  
   anomalous layer volume due to, 605  
   emergence of isolated, 618*f*  
   gradients in, 607  
   prototypical, 601  
   secondary drift of, 609, 610*f*  
 Vorticity  
   distribution, 334  
   dynamics, 212–215  
   and rotation, 770–771
- W**
- Walker circulation, 710, 715, 717  
 Walsh Cottage, 41  
 Warm front, 490, 492*f*  
 Warning system, 4  
 Waves  
   amplitude, 275, 416, 773  
   continental shelf, 286  
   dispersion, 780  
   dispersion relation, 173–175, 276, 280,  
   285, 297–298, 326, 398, 404, 405,  
   414, 534, 705, 780  
   equatorial, 703*f*  
   group velocity, 282, 394, 400, 414–415,  
   536, 781–782  
   inertia-gravity (Poincaré), 276*f*, 286,  
   289, 315, 401, 486, 704–706  
   internal, 7–8, 15, 106, 395*f*  
   Kelvin, 273*f*, 314, 406, 489, 704, 706,  
   709, 719  
   lee / mountain, 412*f*  
   nondispersive, 274, 277, 704  
   phase speed, 277, 281, 285, 320,  
   322–324, 400, 418, 432, 536, 705,  
   776–777  
   planetary (Rossby), 16, 129, 278*f*,  
   287–288, 324, 532*f*, 541–542, 569,  
   596, 706–707  
   unstable, 145, 322, 326, 428, 571–572  
 Wave propagation, 708*f*, 718  
 Wavelength, 398, 401, 413, 417, 773–775  
 Wavenumbers, 135, 398–401, 773–775  
   unresolved short wave transformation,  
   329  
 Weak constraint, 748  
 Weather  
   *versus* climate, 627  
   forecasting, 642  
   prediction by numerical simulations, 19,  
   20  
*Weather Prediction by Numerical Process*  
   (Richardson), 20–21  
 Wedge instability, 561  
 Weighted-residual equations, 259  
 Weighted-residual method, 260  
 Westerlies, 658  
 Western boundary currents, 669–673  
 Western North Atlantic, currents in, 7  
 Westward intensification, 672  
 Westward jets, 599*f*, 600  
 Westward velocity, 324  
 Wind  
   impulse, 486–489  
   mixing, 459–461  
   stress, 459  
   thermal, 473–475, 474*f*  
   upwelling-favorable, 484  
 Wind-driven horizontal transport, 252  
 Wind-induced seiches, lakes, 379–381  
 Wind-stress anomaly, 712, 714
- Y**
- Yoshida, Koza, 520
- Z**
- Zabusky, Norman Julius, 334, 344  
 Zero-equation turbulence model, 443  
 Zonal velocity, 712, 713